CARON CHANGE VINCE

Moorland School

DISPLAY SCREEN EQUIPMENT POLICY

This Policy includes the Junior School and Senior School

Links to other policies:

First Aid Policy

Policy Statement

The Display Screen Equipment Regulations (DSE) are for the protection of employees who regularly use DSE for the purposes of undertaking a significant part of their normal work (daily for continuous periods of an hour or more).

Users are protected by the Regulations whether they are employed to work:

- At a school workstation.
- At a workstation at home.

What is DSE?

DSE are devices or equipment that have an alphanumeric or graphic display screen and includes display screens, laptops, touch screens and other similar devices.

What are the health risks with DSE?

Some workers may experience fatigue, eye strain, upper limb problems and backache from overuse or improper use of DSE. These problems can also be experienced from poorly designed workstations or work environments. The causes may not always be obvious and it can be due to a combination of factors.

Controlling Risk

In line with the HSE guidance 'Working with Display Screen Equipment' (Appendix 1), the School will assess the risks associated with using DSE equipment and any special needs of individual staff. Staff will be invited to complete a DSE Workstation Checklist (Appendix 2) when a new workstation is set up, when a new user starts work, or when a substantial change is made to an existing workstation (or the way it is used). Assessments should be repeated if there is any reason to suspect they may no longer be valid – for example, if users start complaining of pain or discomfort. Staff will be encouraged to read the section 'Getting Comfortable' in the HSE guidance 'Working with Display Screen Equipment'.

Pupil accessible workstations

Although there is no legal requirement to formally assess pupil workstations for each individual user, the workstations provided should be flexible and meet general ergonomic requirements e.g. have a selection of equipment provided in order to meet individual needs which should include provision for those with any health needs including wheelchair accessibility and visual disabilities.

DSE User training

The School will provide information, instruction and health & safety training to users to help them identify risks and safe work practices including:

- The risks from DSE work
- How to adjust furniture
- How to organise the workplace to avoid awkward or frequently repeated stretching movements
- How to clean the screen and mouse
- Who to contact for help and to report problems or symptoms
- How to use the DSE workstation checklist.

Eyes and Eyesight Tests

All employees who are DSE users are entitled to an appropriate free vision test and eyesight examination. The following procedure should be used:

The user should request an appointment for a vision test from a registered optician. The full cost of the eyesight test (up to £27.50) will be met by The School.

Where, as a result of an eye and eyesight test, a user is advised (in writing) by the nominated registered ophthalmic optician to obtain corrective spectacles or lenses for work with DSE, the user should obtain authorisation from the Headteacher if the test shows you need special corrective appliances (normally spectacles) that are prescribed for the distance the screen is viewed at. If an ordinary prescription is suitable for your DSE work, the school does not have to pay for your spectacles This authorisation will entitle the user to receive a contribution from the School up to £50 towards the cost of a pair of lenses specific to the eye-DSE distance (approx. 600mm) and budget frames.

Policy Reviewed by Deborah Frost, July 2020

Next Review Date: July 2021



Working with display screen equipment (DSE)

A brief guide



This is a web triendly version of leaflet INDG36(rev4), published 04/13

Introduction

This leaflet will help you to comply with the Health and Safety (Display Screen Equipment) Regulations 1992 and explains what you, as an employer, may need to do to protect your employees from any risks associated with Display Screen Equipment (DSE) (ie computers and laptops). It will also be useful to employees and their representatives.

These Regulations only apply to employers whose workers regularly use DSE as a significant part of their normal work (daily, for continuous periods of an hour or more). These workers are known as DSE users.

These Regulations do not apply to workers who use DSE infrequently or for short periods of time. However, the controls described in 'How to control the risk' may still be useful for these workers.

If you have DSE users, you must:

- analyse workstations to assess and reduce risks;
- make sure controls are in place;
- provide information and training;
- provide eye and eyesight tests on request, and special spectacles if needed;
- review the assessment when the user or DSE changes.

For those who employ many users of DSE, this guidance also contains information that may help you manage your legal duties efficiently (see 'Using DSE assessors').

What is DSE?

DSE are devices or equipment that have an alphanumeric or graphic display screen and includes display screens, laptops, touch screens and other similar devices.

What are the health risks with DSE?

Some workers may experience fatigue, eye strain, upper limb problems and backache from overuse or improper use of DSE. These problems can also be experienced from poorly designed workstations or work environments. The causes may not always be obvious and can be due to a combination of factors.

Page 1 of 6

Consulting your employees on DSE

Workplaces where employees are involved in taking decisions about health and safety are safer and healthier. Collaboration with your employees helps you to manage the potential health problems associated with DSE in a practical way by:

- helping spot the risks;
- making sure health and safety controls are practical;
- increasing the level of commitment to working in a healthy way.

You must consult all your employees, in good time, on health and safety matters. In workplaces where a trade union is recognised, this will be through union health and safety representatives. In non-unionised workplaces, you can consult either directly or through other elected representatives.

Consultation involves employers not only giving information to employees, but also listening to them and taking account of what they say before making health and safety decisions.

For further information on your legal duties, see the HSE leaflet Consulting employees on health and safety: A brief guide to the law (see 'Further information').

How to control the risk

As an employer, you need to assess the risks associated with using DSE equipment and any special needs of individual staff. You may find the DSE workstation checklist (see 'Further information') helpful. This gives practical guidance on workstation assessments and is designed to encourage users to take an active part. If users are suitably trained, they can fill in the checklist themselves.

You should use your assessment to decide what needs to be done and check that action is taken.

Make a record of your significant findings. Any record you produce should be simple and focused on controls. If you have fewer than five employees, you do not have to write anything down. But it is useful to do this, so you can review it at a later date, for example if something changes. If you have five or more employees, you are required by law to write it down.

Few workplaces stay the same, so it makes sense to review what you are doing on an ongoing basis.

The risks from DSE can be controlled using the following straightforward, low-cost controls.

Getting comfortable

The following may help users:

- Forearms should be approximately horizontal and the user's eyes should be the same height as the top of the screen,
- Make sure there is enough work space to accommodate all documents or other equipment. A document holder may help avoid awkward neck and eye movements.
- Arrange the desk and screen to avoid glare, or bright reflections. This is often easiest if the screen is not directly facing windows or bright lights.

Working with display screen equipment (DSE)

Page 2 of 6

- Adjust curtains or blinds to prevent intrusive light.
- Make sure there is space under the desk to move legs.
- Avoid excess pressure from the edge of seats on the backs of legs and knees.
 A footrest may be helpful, particularly for smaller users.

Well-designed workstations

Keyboards and keying in (typing)

- A space in front of the keyboard can help you rest your hands and wrists when not keying.
- Try to keep wrists straight when keying.
- Good keyboard technique is important you can do this by keeping a soft touch on the keys and not overstretching the fingers.

Using a mouse

- Position the mouse within easy reach, so it can be used with a straight wrist.
- Sit upright and close to the desk to reduce working with the mouse arm stretched.
- Move the keyboard out of the way if it is not being used.
- Support the forearm on the desk, and don't grip the mouse too tightly.
- Rest fingers lightly on the buttons and do not press them hard.

Reading the screen

- Make sure individual characters on the screen are sharp, in focus and don't flicker or move. If they do, the DSE may need servicing or adjustment.
- Adjust the brightness and contrast controls on the screen to suit lighting conditions in the room.
- Make sure the screen surface is clean.
- When setting up software, choose text that is large enough to read easily on screen when sitting in a normal comfortable working position.
- Select colours that are easy on the eye (avoid red text on a blue background, or vice versa).

Changes in activity

Breaking up long spells of DSE work helps prevent fatigue, eye strain, upper limb problems and backache. As the employer you need to plan, so users can interrupt prolonged use of DSE with changes of activity. Organised or scheduled rest breaks may sometimes be a solution.

The following may help users:

- Stretch and change position.
- Look into the distance from time to time, and blink often.
- Change activity before users get tired, rather than to recover.
- Short, frequent breaks are better than longer, infrequent ones.

Timing and length of changes in activity or breaks for DSE use is not set down in law and arrangements will vary depending on a particular situation. Employers are not responsible for providing breaks for the self-employed.

Portable computers

These same controls will also reduce the DSE risks associated with portable computers. However, the following may also help reduce manual handling, fatigue and postural problems:

 Consider potential risks from manual handling if users have to carry heavy equipment and papers.

Working with display screen equipment (DSE)

Page 3 of 6

- Whenever possible, users should be encouraged to use a docking station or firm surface and a full-sized keyboard and mouse.
- The height and position of the portable's screen should be angled so that the
 user is sitting comfortably and reflection is minimised (raiser blocks are
 commonly used to help with screen height).
- More changes in activity may be needed if the user cannot minimise the risks of prolonged use and awkward postures to suitable levels.
- While portable systems not in prolonged use are excluded from the regulations some jobs will use such devices intermittently and to support the main tasks.
 The degree and intensity of use may vary. Any employer who provides such equipment still has to risk assess and take steps to reduce residual risks.

DSE user training

You must provide information, instruction and health and safety training to users to help them identify risks and safe work practices. When training users, consider explaining:

- the risks from DSE work and the controls you have put in place;
- how to adjust furniture:
- how to organise the workplace to avoid awkward or frequently repeated stretching movements;
- how to clean the screen and mouse;
- who to contact for help and to report problems or symptoms;
- how to use the Display screen equipment (DSE) workstation checklist (see 'Further information') if users are going to make their own assessment.

You may need to retrain users if you make significant changes to workstations.

Providing eye tests and any necessary spectacles for DSE work

There is no evidence to suggest that DSE work will cause permanent damage to eyes or eyesight. Eye tests are provided to ensure users can comfortably see the screen and work effectively without visual fatigue.

If a user or a potential user requests an eye test you are required to provide one, If the test shows that the user needs glasses specifically for DSE work, you must pay for a basic pair of frames and lenses. Eye tests are not an entitlement for the selfemployed.

Users are entitled to further tests if DSE work is considered to cause them visual fatigue and at regular intervals after the first test.

The arrangements you make to provide eye and eyesight tests can vary. For example, some employers let users arrange tests for themselves (and give the employer the bill); others prefer to send all their staff to be tested by one optician. The following may help you when setting up your arrangements:

- contact a number of opticians to make sure you get a competitive rate;
- ask if they will come to you to carry out the eye tests;
- ask for standard information about each user test. This should say if the user needs glasses for DSE work, and when they should be retested;
- tell users what arrangements you have made;

Working with display screen equipment (DSE)

Page 4 of 6

make sure users understand what you will and won't pay for.

You only need to provide glasses for the DSE work. If users' normal glasses are suitable for DSE work, you don't need to pay for them. You don't have to pay for expensive frames or lenses.

Review

DSE assessments need to be reviewed when:

- major changes are made to the equipment, furniture, work environment or software:
- users change workstations;
- the nature of work tasks change considerably;
- it is thought that the controls in place may be causing other problems.

Using DSE assessors

If you employ many users of DSE, it may help to appoint someone competent to act as an assessor. The assessor can help to:

- identify who is covered by the Regulations;
- assess workstation risks and put control measures in place;
- provide training.

Training assessors

Trained assessors can help you recognise risky workstation layouts, environments and practices. Make sure whoever you choose to become an assessor (it may be more than one person) knows what is expected of them. You will also need to make sure assessors have taken any necessary actions to tackle the problems that have been identified.

It is worth providing assessor training on the following:

- how to review user assessments or checklists to identify any additional controls;
- how to tackle problems the user is unable to solve;
- deciding when additional information and help is needed, and where to go for it;
- how to record significant findings.

Training products for assessors are available from many organisations and whatever training methods you use, you should check afterwards that assessors have understood the information and reached an adequate level of competence.

When analysing the completed checklists, it may be useful for assessors to consider the following:

- deal with the biggest problems first;
- investigate all reports of aches and pains from users;
- try to identify the causes of risk by looking at all potential causes. For example
 poor posture may be due to bad seating, or sitting awkwardly to avoid glare on
 the screen, or leaning forward to use the keyboard because the chair arm rests
 prevent it from being close enough to the workstation, or a poorly positioned
 mouse;

Working with display screen equipment [DSE]

Page 5 of 6

- remember to assess all the risks look at things like task demands and changes in activity, as well as the physical aspects of the workstation;
- take account of individuals' special needs, such as users with a disability.

Further reading

Aching arms (or RSI) in small businesses: Is ill health due to upper limb disorders a problem in your workplace? Leallet INDG171(rev1) HSE Books 2003 www.hse.gov.uk/pubns/indg171.pdf

Consulting employees on health and safety: A brief guide to the law Leaflet INDG232(rev2) HSE Books 2013 www.hse.gov.uk/pubns/indg232,htm

Display screen equipment (DSE) workstation checklist Leaflet CK1 HSE Books 2013 www.hse.gov.uk/pubns/ck1.htm

Work with display screen equipment: Health and Safety (Display Screen Equipment)
Regulations 1992 as amended by the Health and Safety (Miscellaneous
Amendments) Regulations 2002: Guidance on Regulations L26 (Second edition)
HSE Books 2003 ISBN 978 0 7176 2582 6 www.hse.gov.uk/pubns/books/126.htm

For businesses in office or retail premises, contact your local authority to speak to an Environmental Health Officer.

Further information

For information about health and safety, or to report inconsistencies or inaccuracies in this guidance, visit www.hse.gov.uk. You can view HSE guidance online and order priced publications from the website. HSE priced publications are also available from bookshops.

This guidance is issued by the Health and Safety Executive. Following the guidance is not compulsory, unless specifically stated, and you are free to take other action. But if you do follow the guidance you will normally be doing enough to comply with the law. Health and safety inspectors seek to secure compliance with the law and may refer to this guidance.

This leaflet is at www.hse.gov.uk/pubns/indg36.pdf.

© Crown copyright If you wish to reuse this information visit www.hse.gov.uk/copyright.htm for details. First published 05/13.

Page 6 of 6



Health and Safety Executive

Display screen equipment (DSE) workstation checklist



This is a web-friendly version of Display screen equipment (DSE) workstation checklist published 05/13

Workstation location and number (if applicable):	
User:	
Checklist completed by:	
Assessment checked by:	
Any further action needed:	Yes/No
Follow-up action completed on:	

The following checklist can be used to help you complete a risk assessment and comply with the Schedule to the Health and Safety (Display Screen Equipment) Regulations 1992 as amended by the Health and Safety (Miscellaneous Amendments) Regulations 2002.

The questions and 'Things to consider' in the checklist cover the requirements of the Schedule. If you can answer 'Yes' in the second column against all the questions, having taken account of the 'Things to consider', you are complying. You will not be able to address some of the questions and 'Things to consider', eg on reflections on the screen, or the user's comfort, until the workstation has been installed. These will be covered in the risk assessment you do once the workstation is installed.

Work through the checklist, ticking either the 'Yes' or 'No' column against each risk factor.

- 'Yes' answers require no further action.
- 'No' answers will require investigation and/or remedial action by the workstation assessor. They should record their decisions in the 'Action to take' column. Assessors should check later that actions have been taken and have resolved

Remember, the checklist only covers the workstation and work environment. You also need to make sure that risks from other aspects of the work are avoided, eg by giving users health and safety training, and providing for breaks or changes of activity. For more advice on these see Working with display screen equipment (DSE): A brief guide.

Page 1 of 10

Risk factors	Tick answer		Things to consider	Action to take
	Yes	No		
1 Keyboards				ni
Is the keyboard separate from the screen?			This is a requirement, unless the task makes it impracticable (eg where there is a need to use a portable).	
Does the keyboard tilt?			Titt need not be built in:	
Is it possible to find a comfortable keying position?	((((Try pushing the display screen further back to create more room for the keyboard, hands and wrists. Users of thick, raised keyboards may need a wrist rest.	
Does the user have good keyboard technique?			Training can be used to prevent: hands bent up at the wrist; hitting the keys too hard; overstretching the fingers.	
Are the characters clear and readable?			Keyboards should be kept clean. If characters still can't be read, the keyboard may need modifying or replacing. Use a keyboard with a matt finish to reduce glare and/or reflection.	

Page 2 of 10

Risk factors	Tick answer		Things to consider	Action to take
	Yes	No	t = ==================================	
2 Mouse, trackball etc				iii
Is the device suitable for the tasks it is used for?			If the user is having problems, try a different device. The mouse and trackball are general-purpose devices suitable for many tasks, and available in a variety of shapes and sizes. Alternative devices such as touch screens may be better for some tasks (but can be worse for others).	
Is the device positioned close to the user?			Most devices are best placed as close as possible, eg right beside the keyboard. Training may be needed to: prevent arm overreaching; encourage users not to leave their hand on the device when it is not being used; encourage a relaxed arm and straight wrist.	
Is there support for the device user's wrist and forearm?			Support can be gained from, for example, the desk surface or arm of a chair. If not, a separate supporting device may help. The user should be able to find a comfortable working position with the device.	
Does the device work smoothly at a speed that suits the user?			See if cleaning is required (eg of mouse ball and rollers). Check the work surface is suitable. A mouse mat may be needed.	
Can the user easily adjust software settings for speed and accuracy of pointer?			Users may need training in how to adjust device settings.	

Page 3 of 10

Risk factors	Tick answer		Things to consider	Action to take
	Yes	No	i	
3 Display screens				in .
Are the characters clear and readable? Health and safety Health and safety			Make sure the screen is clean and cleaning materials are available. Check that the text and background colours work well together.	
Is the text size comfortable to read?			Software settings may need adjusting to change text size.	
Is the image stable, ie free of flicker and jitter?			Try using different screen colours to reduce flicker, eg darker background and lighter text. If there are still problems, get the set-up checked, eg by the equipment supplier.	
Is the screen's specification suitable for its intended use?			For example, intensive graphic work or work requiring fine attention to small details may require large display screens.	
Are the brightness and/or contrast adjustable?			Separate adjustment controls are not essential, provided the user can read the screen easily at all times.	
Does the screen swivel and tilt?			Swivel and tilt need not be built in; you can add a swivel and tilt mechanism. However, you may need to replace the screen if: swivel/tilt is absent or unsatisfactory; work is intensive; and/or the user has problems getting the screen to a comfortable position.	

Page 4 of 10

Risk factors	Tick answer		Things to consider	Action to take
	Yes	No		
Is the screen free from glare and reflections?			Use a mirror placed in front of the screen to check where reflections are coming from. You might need to move the screen or even the desk and/or shield the screen from the source of the reflections. Screens that use dark characters on a light background are less prone to glare and reflections.	
Are adjustable window coverings provided and in adequate condition?			Check that blinds work. Blinds with vertical slats can be more suitable than horizontal ones. If these measures do not work, consider anti-glare screen filters as a last rssort and seek specialist help.	
4 Software		Per l		
Is the software suitable for the task?			Software should help the user carry out the task, minimise stress and be user-friendly. Check users have had appropriate training in using the software. Software should respond quickly and clearly to user input, with adequate feedback, such as clear help messages.	

Risk factors	Tick answ	/er	Things to consider	Action to take
	Yes	No		
5 Furniture				Tri
Is the work surface large enough for all the necessary equipment, papers etc?	X		Create more room by moving printers, reference materials etc elsewhere. If necessary, consider providing new power and telecoms sockets, so equipment can be moved. There should be some scope for flexible rearrangement.	
Can the user comfortably reach all the equipment and papers they need to use?			Rearrange equipment, papers etc to bring frequently used things within easy reach. A document holder may be needed, positioned to minimise uncomfortable head and eye movements.	
Are surfaces free from glare and reflection?			Consider mats or blotters to reduce reflections and glare.	, 15 -
Is the chair suitable? Is the chair stable? Does the chair have a working: seat back height and tilt adjustment? seat height adjustment? castors or glides?			The chair may need repairing or replacing if the user is uncomfortable, or cannot use the adjustment mechanisms.	

Page 6 of 10

Risk factors	Tick answer		Things to consider	Action to take
	Yes	No		
is the chair adjusted correctly?			The user should be able to carry out their work sitting comfortably. Consider training the user in how to adopt suitable postures while working. The arms of chairs can stop the user getting close enough to use the equipment comfortably. Move any obstructions from under the desk.	
s the small of the back supported by the chair's backrest?			The user should have a straight back, supported by the chair, with relaxed shoulders.	
Are forearms horizontal and eyes at roughly the same height as the top of the DSE?			Adjust the chair height to get the user's arms in the right position, and then adjust the DSE height, if necessary.	
Are feet flat on the floor, without too much pressure from the seat on the backs of the legs?			If not, a footrest may be needed.	

Risk factors	Tick answer		Things to consider	Action to take
	Yes	No		
6 Environment				in .
Is there enough room to change position and vary movement?			Space is needed to move, stretch and fidget. Consider reorganising the office layout and check for obstructions. Cables should be tidy and not a trip or snag hazard.	
Is the lighting suitable, eg not too bright or too dim to work comfortably?			Users should be able to control light levels, eg by adjusting window blinds or light switches. Consider shading or repositioning light sources or providing local lighting, eg desk lamps (but make sure lights don't cause glare by reflecting off walls or other surfaces).	
Does the air feel comfortable?			DSE and other equipment may dry the air. Circulate fresh air if possible. Plants may help. Consider a humidifier if discomfort is severe.	
Are levels of heat comfortable?			Can heating be better controlled? More ventilation or air conditioning may be required if there is a lot of electronic equipment in the room. Or, can users be moved away from the heat source?	
Are levels of noise comfortable?			Consider moving sources of noise, eg printers, away from the user. If not, consider soundproofing.	

7 Final questions to users...

- Has the checklist covered all the problems they may have working with their D\$E?
 Have they experienced any discomfort or other symptoms which they attribute to working with their DSE?
- Has the user been advised of their entitlement to eye and eyesight testing?
- Does the user take regular breaks working away from DSE?

Write down the details of any problems here:

Further information

Working with display screen equipment (DSE): A brief guide Leaflet INDG36(rev4) HSE books 2013 www.hse.gov.uk/pubns/indg36.htm

For information about health and safety, or to report inconsistencies or inaccuracies in this guidance, visit www.hse.gov.uk/. You can view HSE guidance online and order priced publications from the website. HSE priced publications are also available from bookshops.

Crown copyright 2013

First published 2013

ISBN 978 0 7176 6521 1

You may reuse this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence. To view the licence visit www.nationalarchives.gov.uk/doc/open-government-licence/, write to the Information Policy Team, The National Archives, Kew, London TW9 4DU, or email psi@nationalarchives.gsi.gov.uk.

Some images and illustrations may not be owned by the Crown so cannot be reproduced without permission of the copyright owner. Enquiries should be sent to copyright@hse.gsi.gov.uk.

This guidance is issued by the Health and Safety Executive, Following the guidance is not compulsory, unless specifically stated, and you are free to take other action. But if you do follow the guidance you will normally be doing enough to comply with the law. Health and safety inspectors seek to secure compliance with the law and may refer to this guidance.